

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	shaffner near james	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 14:54
L2	1	"20040227583"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 14:54
L3	1	2 and width	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 15:00
L4	2236	impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 15:07
L5	139	4 and "333"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 15:04
L6	916	impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less and (protuberance projection bulge hump bump taper\$4 protrusion)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 15:09
L7	295	impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less and (protuberance projection bulge hump bump taper\$4 protrusion)	USPAT	OR	ON	2007/03/16 15:14
L8	0	(impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less and (protuberance projection bulge hump bump taper\$4 protrusion)).clm.	USPAT	OR	ON	2007/03/16 15:13

EAST Search History

L9	0	(impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and great\$4 and less and (protuberance projection bulge hump bump taper\$4 protrusion)).clm.	USPAT	OR	ON	2007/03/16 15:13
L10	1	(impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and (protuberance projection bulge hump bump taper\$4 protrusion)).clm.	USPAT	OR	ON	2007/03/16 15:13
L11	3	(impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and (protuberance projection bulge hump bump taper\$4 protrusion)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:13
L12	427	impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less and (protuberance projection bulge hump bump taper\$4 protrusion)	US-PGPUB	OR	ON	2007/03/16 15:23
L13	194	impedance and (mem microelectromechanical micro adj electro adj mechanical microelectro adj mechanical) and switch\$4 and (contact electrode terminal port) and (line stripline microstrip pattern trace) and (width thickness) and greater and less and (protuberance projection bulge hump bump taper\$4 protrusion)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:27
L14	3675	((333/262) or (333/32) or (333/33) or (333/34)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 15:27

EAST Search History

L15	256	14 and @pd >= "20050427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 15:28
-----	-----	--------------------------	---	----	----	------------------